Author index

Aisen, P., see Sibille, J.-C. (1010) 204

Alemany, M., see López-Soriano, F.J. (1010) 338

Ali, H., Cunha-Melo, J.R. and Beaven, M.A.

Receptor-mediated release of inositol 1,4,5-trisphosphate and inositol 1,4-bisphosphate in rat basophilic leukemia RBL-2H3 cells permeabilized with streptolysin O (1010) 88

Ali, L., Wesslén, N. and Hellman, B.

Effects of depolarizing agents on the sodium content of rat pancreatic islets (1010) 283

Aring, J., Schlepper-Schaefer, J., Burkart, V. and Kolb, H.

Nonenzymatically glycated serum albumin: interaction with galactose-specific liver lectins (1010) 140

Asami, K., Takahashi, Y. and Takashima, S.

Dielectric properties of mouse lymphocytes and erythrocytes (1010)

Ashford, A.J., see Clark, S.J. (1010) 377

Bali, J.-P., see Magous, R. (1010) 357

Bárány, K., see Barron, J.T. (1010) 278

Bárány, M., see Barron, J.T. (1010) 278

Barron, J.T., Bárány, K., Bárány, M. and Kopp, S.J.

Effects of ATP reduction on the pattern of force development and myosin light chain phosphorylation in intact arterial smooth muscle (1010) 278

Beaven, M.A., see Ali, H. (1010) 88

Berg, I., Guse, A.H. and Gercken, G.

Carbamoylcholine-induced accumulation of inositol mono-, bis-, tris- and tetrakisphosphates in isolated cardiac myocytes from adult rats (1010) 100

Bikle, D., Munson, S., Christakos, S., Kumar, R. and Buckendahl, P. Calmodulin binding to the intestinal brush-border membrane: comparison to other calcium-binding proteins (1010) 122

Brass, E.P. and Garrity, M.J.

Modulation of prostaglandin E2 catabolism and action by fuel substrates in rat hepatocytes (1010) 233

Buckendahl, P., see Bikle, D. (1010) 122

Burkart, V., see Aring, J. (1010) 140

Busshardt, E., Gerok, W. and Häussinger, D.

Regulation of hepatic parenchymal and non-parenchymal cell function by the diadenine nucleotides Ap₃A and Ap₄A (1010) 151

Campbell, D.G., see MacDougall, L.K. (1010) 218

Chakraborti, P., see Chang, T.-m. (1010) 166

Chang, C.-H., see Hirata, M. (1010) 346

Chang, C.H.L., see Chang, T.-m. (1010) 166

Chang, T.-m., Chakraborti, P. and Chang, C.H.L.

The cyanogen bromide fragment I of asialoorosomucoid is transported more efficiently than asialoorosomucoid in rat hepatocytes (1010) 166

Christakos, S., see Bikle, D. (1010) 122

Clark, S.J., Ashford, A.J., Price, N.T. and Proud, C.G.

Casein kinase-2 phosphorylates serine-2 in the β -subunit of initiation factor-2 (1010) 377

Cohen, P., see MacDougall, L.K. (1010) 218

Collins, C., see Sinha, B.K. (1010) 304

Crevat, A., see Monti, J.-P. (1010) 210

Cunha-Melo, J.R., see Ali, H. (1010) 88

Dahlgren, C., Johansson, A. and Orselius, K.

Difference in hydrogen peroxide release between human neutrophils and neutrophil cytoplasts following calcium ionophore activation. A role of the subcellular granule in activation of the NADPH-oxidase in human neutrophils? (1010) 41

Dasarathy, Y. and Fanburg, B.L.

Calcium ionophore A23187 elevates angiotensin-converting enzyme in cultured bovine endothelial cells (1010) 16

Davis, B.H. and Vucic, A.

Modulation of vitamin A metabolism during hepatic and intestinal cell culture (1010) 318

De Boo, R., see Schuddemat, J. (1010) 191

DeLuca, H.F., see Inaba, M. (1010) 20

Dobrowolska, G., Meggio, F., Marchiori, F. and Pinna, L.A. Specificity determinants of maize casein kinase-IIB are related to but distinct from those of rat liver casein kinase-2 (1010) 274

Dormer, R.L., see Doughney, C. (1010) 352

Douen, A.G. and Jones, M.N.

Insulin processing and signal transduction in rat adipocytes (1010)

Doughney, C., Pedersen, P.S., McPherson, M.A. and Dormer, R.L. Formation of inositol polyphosphates in cultured human sweat duct cells in response to cholinergic stimulation (1010) 352

Dusre, L., see Sinha, B.K. (1010) 304

Endo, H., see Tanuma, S. (1010) 246

Fain, J.N., see Pittner, R.A. (1010) 227

Fanburg, B.L., see Dasarathy, Y. (1010) 16

Farndale, R.W., see Sandy, J.R. (1010) 265

Fernig, D.G. and Mayer, R.J.

Insulin processing in primary endosomes is not responsible for insulin resistance observed in parametrial adipocytes from lactating rats (1010) 237

Fex, G., see Wahlberg, P. (1010) 287

Flatmark, T., see Husebye, E.S. (1010) 250

Fujimi, T., see Yamaguchi, T. (1010) 177

Fujita, T., see Yamaguchi, T. (1010) 177

Fukase, M., see Yamaguchi, T. (1010) 177

Funk, C.D., see Karaplis, A.C. (1010) 369

Galleyrand, J.-C., see Magous, R. (1010) 357

Gallice, P., see Monti, J.-P. (1010) 210

Gardner, J.D., see Stark, H.A. (1010) 145

Garrity, M.J., see Brass, E.P. (1010) 233

Gauthier, Y., see Schulman, H.M. (1010) 1

Gercken, G., see Berg, I. (1010) 100

Gerok, W., see Busshardt, E. (1010) 151

Gordon, J.L., see Morgan, D.M.L. (1010) 184

Grover, T.A., see Reidl, H.H. (1010) 325

Gruppuso, P.A.

Effects of fetal hypoinsulinemia on fetal hepatic insulin binding in the rat (1010) 270

Guse, A.H., see Berg, I. (1010) 100

Hartwig, J.H. and Janmey, P.A.

Stimulation of a calcium-dependent actin nucleation activity by phorbol 12-myristate 13-acetate in rabbit macrophage cytoskeletons (1010) 64

Häussinger, D., see Busshardt, E. (1010) 151

Helgeland, L., see Tollersrud, O.K. (1010) 35

Hellman, B., see Ali, L. (1010) 283

Hierholzer, K., see Korbmacher, C. (1010) 311

Hirata, M., Chang, C.-H. and Murad, F.

Stimulatory effects of atrial natriuretic factor on phosphoinositide hydrolysis in cultured bovine aortic smooth muscle cells (1010) 346

Horiuchi, R., see Sorimachi, K. (1010) 72

Hubbard, M.J., see MacDougall, L.K. (1010) 218

Hur, K.C. and Louis, C.F.

Regional distribution of the enzymes and substrates mediating the action of cAMP in the mammalian lens (1010) 56

Husebye, E.S. and Flatmark, T.

Purification and kinetic properties of a soluble phosphatidylinositol-4-phosphate kinase of the bovine adrenal medulla with emphasis on its inhibition by calcium ions (1010) 250

Ieiri, T., see Sorimachi, K. (1010) 72

Iga, F., see Yoshinari, K. (1010) 28

Inaba, M. and DeLuca, H.F.

Stabilization of 1,25-dihydroxyvitamin D-3 receptor in the human leukemia cell line, HL-60, with diisopropylfluorophosphate (1010) 20

Janmey, P.A., see Hartwig, J.H. (1010) 64

Jensen, R.T., see Stark, H.A. (1010) 145

Johansson, A., see Dahlgren, C. (1010) 41

Jones, M.N., see Douen, A.G. (1010) 363

Kakkar, V.V., see Krishnamurthi, S. (1010) 258

Karaplis, A.C., Funk, C.D. and Powell, W.S.

Binding of prostaglandin E₂ to cultured bovine adrenal chromaffin cells and its effect on catecholamine secretion (1010) 369

Katagi, C., see Ohnishi, S.T. (1010) 199

Katagi, H., see Ohnishi, S.T. (1010) 199

Kobayashi, M., see Sorimachi, K. (1010) 72

Kolb, H., see Aring, J. (1010) 140

Kondo, H., see Sibille, J.-C. (1010) 204

König, M., see Korbmacher, C. (1010) 311

Kopp, S.J., see Barron, J.T. (1010) 278

Korbmacher, C., Schulz, W., König, M., Siebe, H., Lichtenstein, I. and Hierholzer, K.

Renal epithelial cell lines (BSC-1, MDCK, LLC-PK₁) express 11β -hydroxysteroid dehydrogenase activity (1010) 311

Krishnamurthi, S., Patel, Y. and Kakkar, V.V.

Weak inhibition of protein kinase C coupled with various nonspecific effects make sphingosine an unsuitable tool in platelet signal transduction studies (1010) 258

Kumar, R., see Bikle, D. (1010) 122

Kvalvaag, A.H., see Tollersrud, O.K. (1010) 35

Lichtenstein, I., see Korbmacher, C. (1010) 311

López-Soriano, F.J. and Alemany, M.

Effect of alanine on in vitro glucose utilization by rat interscapular brown adipose tissue (1010) 338

Louis, C.F., see Hur, K.C. (1010) 56

MacDougall, L.K., Campbell, D.G., Hubbard, M.J. and Cohen, P. Partial structure and hormonal regulation of rabbit liver inhibitor-1; distribution of inhibitor-1 and inhibitor-2 in rabbit and rat tissues (1010) 218

Magous, R., Galleyrand, J.-C. and Bali, J.-P.

Common or distinct receptors for gastrin and cholecystokinin in gastric mucosa? (1010) 357

Marchiori, F., see Dobrowolska, G. (1010) 274

Martinez, J., see Stark, H.A. (1010) 145

Mason, P.A. and Nelson, D.L.

Cyclic AMP-dependent protein kinases of *Paramecium*. II. Catalytic and regulatory properties of type II kinase from cilia (1010) 116

Mason, P.A. and Nelson, D.L.

Cyclic AMP-dependent protein kinases of *Paramecium*. I. Chromatographic and physical properties of the enzymes from cilia (1010) 108

Mayer, R.J., see Fernig, D.G. (1010) 237

McPherson, M.A., see Doughney, C. (1010) 352

Meggio, F. and Pinna, L.A.

Random tyrosine and glutamic acid-containing polymers are very powerful inhibitors of casein kinase-2 (1010) 128

Meggio, F., see Dobrowolska, G. (1010) 274

Meghji, S., see Sandy, J.R. (1010) 265

Meikle, M.C., see Sandy, J.R. (1010) 265

Merrill, Jr., A.H. and Stevens, V.L.

Modulation of protein kinase C and diverse cell functions by sphingosine – a pharmacologically interesting compound linking sphingolipids and signal transduction (1010) 131

Mimura, A., see Yoshinari, K. (1010) 28

Monti, J.-P., Gallice, P., Murisasco, A. and Crevat, A.

Phosphorus-31 and water proton relaxation in living erythrocytes. Application to uremia (1010) 210

Morgan, D.M.L., Pearson, J.D. and Gordon, J.L.

Lysosomal hydrolases of human vascular cells: response to agonists of endothelial function (1010) 184

Munson, S., see Bikle, D. (1010) 122

Murad, F., see Hirata, M. (1010) 346

Murisasco, A., see Monti, J.-P. (1010) 210

Myers, C.E., see Sinha, B.K. (1010) 304

Nelson, D.L., see Mason, P.A. (1010) 108

Nelson, D.L., see Mason, P.A. (1010) 116

Nishikawa, M., see Yamaguchi, T. (1010) 177

Ohnishi, S.T., Katagi, H. and Katagi, C.

Inhibition of the in vitro formation of dense cells and of irreversibly sickled cells by charybdotoxin, a specific inhibitor of calciumactivated potassium efflux (1010) 199

O'Rourke, A.M. and Rider, C.C.

Glucose, glutamine and ketone body utilisation by resting and concanavalin A activated rat splenic lymphocytes (1010) 342

Orselius, K., see Dahlgren, C. (1010) 41

Ouwerkerk, R., Van Echteld, C.J.A., Staal, G.E.J. and Rijksen, G. Intracellular free magnesium and phosphorylated metabolites in hexokinase- and pyruvate kinase-deficient red cells measured using ³¹P-NMR spectroscopy (1010) 294

Patel, Y., see Krishnamurthi, S. (1010) 258

Pearson, J.D., see Morgan, D.M.L. (1010) 184

Pedersen, P.S., see Doughney, C. (1010) 352

Pinna, L.A., see Dobrowolska, G. (1010) 274

Pinna, L.A., see Meggio, F. (1010) 128

Pittner, R.A. and Fain, J.N.

Vasopressin transiently stimulates phospholipase C activity in cultured rat hepatocytes (1010) 227

Plagemann, P.G.W. and Woffendin, C.

Use of formycin B as a general substrate for measuring facilitated nucleoside transport in mammalian cells (1010) 7

Ponka, P., see Schulman, H.M. (1010) 1

Powell, W.S., see Karaplis, A.C. (1010) 369

Price, N.T., see Clark, S.J. (1010) 377

Proud, C.G., see Clark, S.J. (1010) 377

Reidl, H.H., Grover, T.A. and Takemoto, J.Y.

³¹P-NMR evidence for cytoplasmic acidification and phosphate

extrusion in syringomycin-treated cells of *Rhodotorula pilimanae* (1010) 325

Rider, C.C., see O'Rourke, A.M. (1010) 342 Rijksen, G., see Ouwerkerk, R. (1010) 294

Sandborg, R.R. and Smolen, J.E.

The effects of heavy metal cations and sulfhydryl reagents on degranulation from digitonin-permeabilized neutrophils (1010) 330

Sandy, J.R., Meghji, S., Farndale, R.W. and Meikle, M.C.

Dual elevation of cyclic AMP and inositol phosphates in response to mechanical deformation of murine osteoblasts (1010) 265

Schlepper-Schaefer, J., see Aring, J. (1010) 140

Schuddemat, J., De Boo, R., Van Leeuwen, C.C.M., Van den Broek, P.J.A. and Van Steveninck, J.

Polyphosphate synthesis in yeast (1010) 191

Schulman, H.M., Ponka, P., Wilczynska, A., Gauthier, Y. and Shyamala, G.

Transferrin receptor and ferritin levels during murine mammary gland development (1010) 1

Schulz, W., see Korbmacher, C. (1010) 311

Scott, G.K., Seow, H.F. and Tse, C.A.

Investigations into the nature of growth-related proteolysis in human fibroblasts (1010) 160

Seow, H.F., see Scott, G.K. (1010) 160

Sharp, C.M., see Stark, H.A. (1010) 145

Shyamala, G., see Schulman, H.M. (1010) 1

Sibille, J.-C., Kondo, H. and Aisen, P.

Uptake of ferritin and iron bound to ferritin by rat hepatocytes: modulation by apotransferrin, iron chelators and chloroquine (1010) 204

Siebe, H., see Korbmacher, C. (1010) 311

Sinha, B.K., Dusre, L., Collins, C. and Myers, C.E.

Resistance of paraquat and adriamycin in human breast tumor cells: role of free radical formation (1010) 304

Smolen, J.E., see Sandborg, R.R. (1010) 330

Sorimachi, K., Ieiri, T., Kobayashi, M., Horiuchi, R. and Yasumura, Y.

Inhibitory effect of dibutyryl cyclic adenosine monophosphate on the induction of alkaline phosphatase in human fetal liver cell line (1010) 72

Staal, G.E.J., see Ouwerkerk, R. (1010) 294

Stark, H.A., Sharp, C.M., Sutliff, V.E., Martinez, J., Jensen, R.T. and Gardner, J.D.

CCK-JMV-180: a peptide that distinguishes high-affinity chole-

cystokinin receptors from low-affinity cholecystokinin receptors (1010) 145

Stevens, V.L., see Merrill, Jr., A.H. (1010) 131

Sundler, R., see Wijkander, J. (1010) 78

Sutliff, V.E., see Stark, H.A. (1010) 145

Takahashi, Y., see Asami, K. (1010) 49

Takashima, S., see Asami, K. (1010) 49

Takemoto, J.Y., see Reidl, H.H. (1010) 325

Tanuma, S. and Endo, H.

Mono(ADP-ribosyl)ation of Gi by eukaryotic cysteine-specific mono(ADP-ribosyl)transferase attenuates inhibition of adenylate cyclase by epinephrine (1010) 246

Tollersrud, O.K., Kvalvaag, A.H. and Helgeland, L.

Biosynthesis and clearance of prothrombin in warfarin-treated rats (1010) 35

Tse, C.A., see Scott, G.K. (1010) 160

Van den Broek, P.J.A., see Schuddemat, J. (1010) 191 Van Echteld, C.J.A., see Ouwerkerk, R. (1010) 294 Van Leeuwen, C.C.M., see Schuddemat, J. (1010) 191 Van Steveninck, J., see Schuddemat, J. (1010) 191 Vucic, A., see Davis, B.H. (1010) 318

Wahlberg, P., Fex, G. and Wennerberg, J.

A relationship between retinol and cellular retinol-binding protein concentrations in human squamous cell carcinomas (1010) 287

Wennerberg, J., see Wahlberg, P. (1010) 287

Wesslén, N., see Ali, L. (1010) 283

Wijkander, J. and Sundler, R.

A role for protein kinase C-mediated phosphorylation in the mobilization of arachidonic acid in mouse macrophages (1010) 78

Wilczynska, A., see Schulman, H.M. (1010) 1

Woffendin, C., see Plagemann, P.G.W. (1010) 7

Yamaguchi, T., Fukase, M., Nishikawa, M., Fujimi, T. and Fujita, T. Parathyroid hormone degradation by chymotrypsin-like endopeptidase in the clonal osteogenic UMR-106 cell (1010) 177

Yasumura, Y., see Sorimachi, K. (1010) 72

Yoshinari, K., Yuasa, K., Iga, F. and Mimura, A.

A growth-promoting factor for human myeloid leukemia cells from horse serum identified as horse serum transferrin (1010) 28 Yuasa, K., see Yoshinari, K. (1010) 28

